

NO. 62311

**APPLICATION FOR PERMISSION TO CHANGE POINT OF
DIVERSION, MANNER OF USE AND PLACE OF USE OF THE
PUBLIC WATERS OF THE STATE OF NEVADA
HERETOFORE APPROPRIATED**

Date of filing in State Engineer's Office JUL 18 1996

Returned to applicant for correction AUG 30 1996

Corrected application filed _____

Map filed SEP 05 1996 under 62310

The applicant The Forum Group Limited, hereby make application for permission to change the Point of Diversion, Manner and Place of Use of a Portion of water heretofore appropriated under Permit 25488, Certificate 8930

1. The source of water is Underground
2. The amount of water to be changed 0.19 cfs - 49.00 ac.ft.
3. The water to be used for Municipal and Domestic Purposes
4. The water heretofore permitted for Irrigation and Domestic
5. The water is to be diverted at the following point NW $\frac{1}{4}$ SW $\frac{1}{4}$ Section 20, T20S, R53E, MDM, or at a point from which the SW corner of said Section 20, Bears S. 06°35'37" W. a distance of 2537.60 feet.
6. The existing permitted point of diversion is located within SW $\frac{1}{4}$ SW $\frac{1}{4}$ Sec 8, T21S R.54E, MDM, or at a point from which the SW corner of said section 8, bears S. 19°03' W, a distance of 1077.0 feet.
7. Proposed place of use SE $\frac{1}{4}$ of Section 19, T20S, R.53E, MDM, and the W $\frac{1}{2}$ of the SW $\frac{1}{4}$ of Section 20, T20S, R.53E, MDM.
8. Existing place of use 9.8 acres in the SE $\frac{1}{4}$ SE $\frac{1}{4}$ of section 7 T21S, R.54E, MDM. Refer to supporting map filed with this application.
9. Use will be from January 1 to December 31 of each year.
10. Use was permitted from January 1 to December 31 of each year.
11. Description of proposed works Drilled and encased well with pump and totalizing meter
12. Estimated cost of works \$25,000.00
13. Estimated time required to construct works 2 years
14. Estimated time required to complete the application of water to beneficial use 5 years
15. Remarks: Permit no. 25488, certificate no. 8930 is supplemental to permit no. 20879, certificate no. 5698.

BY s/ Michael D. Buschelman
5405 Mae Anne Ave.
Reno, NV 89523

Compared cl/jr cl/cms

Protested _____

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion, place of use and manner of use of a portion of the waters of an underground source as heretofore granted under Permit 25488 Certificate 8930 is issued subject to the terms and conditions imposed in said Permit 25488 Certificate 8930 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The total combined duty of water under Permits 62310, 62311, 62312, 62443, 62444, 62445 and 62446 shall not exceed 515.0 acre-feet annually.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

If any water under this permit is cancelled, withdrawn, or any water is not put to beneficial use, it will revert to the groundwater source and not back to the base water right.

Monthly records shall be kept of the amount of water pumped from this well and the records submitted to the State Engineer on a quarterly basis within 15 days after the end of each calendar quarter.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.19 cubic feet per second, but not to exceed 49.0 acre-feet annually.

Work must be prosecuted with reasonable diligence and be completed on or before:

March 31, 1999

Proof of completion of work shall be filed before:

April 30, 1999

Application of water to beneficial use shall be filed on or before:

March 31, 2002

Proof of the application of water to beneficial use shall be filed on or before:

April 30, 2002


Map in support of proof of beneficial use shall be filed on or before:

N/A

IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P.E.,
State Engineer of Nevada, have hereunto set

my hand and the seal of my office,

this 31st day of March, A.D. 1997


State Engineer

Completion of work filed _____

Proof of beneficial use filed _____

Cultural map filed _____

Certificate No. _____ Issued _____